

# SwiftRiver API Form Resources

## On this page

- [POST forms](#)
- [GET forms/:id](#)
- [PUT forms/:id](#)
- [DELETE forms/:id](#)
- [POST forms/:id/fields](#)
- [PUT forms/:id/fields/:field\\_id](#)
- [DELETE forms/:id/fields/:field\\_id](#)

## POST forms

Create a [Form](#).

Resource Path

`/forms`

Request Body

The request body is a JSON representation of the [Form](#) being created.

Example Request

Create a form with 3 fields.

POST https://api.swiftapp.com/v1/forms

POST DATA

```
{
  "name":"Dangerous Speech Categorisation",
  "fields":[
    {
      "title":"Language",
      "description":"Language the audience is being addressed in",
      "type":"multiple",
      "required":false,
      "options":[
        "English",
        "Swahili",
        "Luo",
        "Kalenjin",
        "Luhya",
        "Kikuyu",
        "Sheng",
        "Other"
      ]
    },
    {
      "title":"Speaker",
      "description":"Description of the speaker",
      "type":"select",
      "required":false,
      "options":[
        "Politician",
        "Journalist",
        "Blogger",
        "Community Leader",
        "Anonymous Commenter",
        "Identifiable Commenter",
        "Public Figure"
      ]
    },
    {
      "title":"Target Audience",
      "description":"Audience most likely to react to this statement/article",
      "type":"text",
      "required":true
    }
  ]
}
```

Response

```

{
  "id": "99",
  "name": "Dangerous Speech Categorisation",
  "fields": [
    {
      "id": "23",
      "title": "Language",
      "description": "Language the audience is being addressed in",
      "type": "multiple",
      "required": false,
      "options": [
        "English",
        "Swahili",
        "Luo",
        "Kalenjin",
        "Luhya",
        "Kikuyu",
        "Sheng",
        "Other"
      ]
    },
    {
      "id": "24",
      "title": "Speaker",
      "description": "Description of the speaker",
      "type": "select",
      "required": false,
      "options": [
        "Politician",
        "Journalist",
        "Blogger",
        "Community Leader",
        "Anonymous Commenter",
        "Identifiable Commenter",
        "Public Figure"
      ]
    },
    {
      "id": "25",
      "title": "Target Audience",
      "description": "Audience most likely to react to this statement/article",
      "type": "text",
      "required": true
    }
  ]
}

```

## GET forms/:id

Returns the [Form](#) with the given : id.

Resource Path

/forms/:id

### Request Parameters

Name	Type	Description
id	Required	The identifier for the desired form.

### Example Request

```
GET https://api.swiftapp.com/v1/forms/1234
```

### Response

```

{
  "id": "1234",
  "name": "Dangerous Speech categorisation",
  "fields": [
    {
      "id": "13",
      "title": "Language",
      "description": "Language the audience is being addressed in",
      "type": "multiple",
      "required": false,
      "options": [
        "English",
        "Swahili",
        "Luo",
        "Kalenjin",
        "Luhya",
        "Kikuyu",
        "Sheng",
        "Other"
      ]
    },
    {
      "id": "14",
      "title": "Speaker",
      "description": "Description of the speaker",
      "type": "select",
      "required": false,
      "options": [
        "Politician",
        "Journalist",
        "Blogger",
        "Community Leader",
        "Anonymous Commenter",
        "Identifiable Commenter",
        "Public Figure"
      ]
    },
    {
      "id": "15",
      "title": "Target Audience",
      "description": "Audience most likely to react to this statement/article",
      "type": "text",
      "required": true
    }
  ]
}

```

## PUT forms/:id

Modify an existing form. Fields cannot be modified from this end point and can only be modified via the [field endpoints](#).

Resource Path

/forms/:id

## Request Body

The request body is a JSON representation of the [Form](#) being updated.

## Example Request

Rename a form.

```
PUT https://api.swiftapp.com/v1/forms/1234
```

PUT DATA

```
{  
  "name": "Form Renamed",  
}
```

## Response

```
{
  "id": "1234",
  "name": "Form Renamed",
  "fields": [
    {
      "id": "13",
      "title": "Language",
      "description": "Language the audience is being addressed in",
      "type": "multiple",
      "required": false,
      "options": [
        "English",
        "Swahili",
        "Luo",
        "Kalenjin",
        "Luhya",
        "Kikuyu",
        "Sheng",
        "Other"
      ]
    },
    {
      "id": "14",
      "title": "Speaker",
      "description": "Description of the speaker",
      "type": "select",
      "required": false,
      "options": [
        "Politician",
        "Journalist",
        "Blogger",
        "Community Leader",
        "Anonymous Commenter",
        "Identifiable Commenter",
        "Public Figure"
      ]
    },
    {
      "id": "15",
      "title": "Target Audience",
      "description": "Audience most likely to react to this statement/article",
      "type": "text",
      "required": true
    }
  ]
}
```

## DELETE forms/:id

Delete a form.

Resource Path

/forms/:id

## Request Parameters

Field	Type	Description
id	Required	The identifier for the desired form

## Example Request

```
DELETE https://api.swiftapp.com/v1/forms/9999
```

## POST forms/:id/fields

Add a new [Field](#) to a form.

### Resource Path

/forms/:id/fields

### Request Body

The request body is a JSON representation of the [Field](#) being added.

## Request Parameters

Field	Type	Description
id	Required	The identifier for the desired form

## Example Request

```
POST https://api.swiftapp.com/v1/forms/9999/fields
```

### POST DATA

```
{
  "title": "Event",
  "description": "The event the statement is associated with",
  "type": "text",
  "required": false,
}
```

## Response

```
{
  "id": "4321",
  "title": "Event",
  "description": "The event the statement is associated with",
  "type": "text",
  "required": false,
}
```



## PUT forms/:id/fields/:field\_id

Modify a field.

Resource Path

/forms/:id/fields/:field\_id

Request Body

The request body is a JSON representation of the [Field](#) being modified.

Request Parameters

Field	Type	Description
id	Required	The numerical id of the desired form
field_id	Required	Account id of the field

Example Request

Below request makes a previously optional field, mandatory.

```
PUT https://api.swiftapp.com/v1/forms/9999/fields/4321
```

PUT DATA

```
{
  "required":true
}
```

Response

```
{
  "id": "4321",
  "title": "Event",
  "description": "The event the statement is associated with",
  "type": "text",
  "required": true,
}
```

## DELETE forms/:id/fields/:field\_id

Remove an existing account field. Only form owners can perform this action.

Resource Path

/forms/:id/fields/:field\_id

Request Parameters

---

Field	Type	Description
id	Required	Identified for the the desired form.
field_id	Required	Identified for the field.

Example Request

```
DELETE https://api.swiftapp.com/v1/forms/9999/fields/345
```